
DIRECTIONS FOR USE FOR USE IN ALL STATES

SITUATION	PESTS	RATE	CRITICAL COMMENTS
DOMESTIC AND PUBLIC AREAS Factories, Food Premises, Hotels, Motels, Hospitals, Warehouses, Ships, Ship containers, Homes, Schools, Clubs, Meter Boxes, Telecom, Electricity and Gas Installations. AGRICULTURAL BUILDINGS Storage sheds, Milking sheds, poultry sheds, Barns, Stables, Kennels.	Flies, Fleas, Mosquitoes, Ants, Silverfish, Moths, Cockroaches, Grain weevils, Spiders, Earwigs, Beetles and other flying insects.	Space Spray: 1 litre per 2,800 cubic metres. Surface Spray: 1 litre per 60-80 square metres.	Flying insects: Direct spray or fog to all parts of the area Crawling insects: Direct spray into cracks and crevices Use through misting or cold fogging equipment. Spray or fog all parts of the area. Keep doors and windows closed when spraying or fogging.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION



CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



NET: 5L / 20L

PY MIST INSECTICIDE

INSECTICIDE RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management, Py Insecticide Mist is a is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Pv Insecticide Mist and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if PV Insecticide Mist and other Group 3A insecticides are used repeatedly. The effectiveness of Py Insecticide Mist on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use. C. Budduck Ptv Ltd accepts no liability for any losses that may result from the failure of Py Insecticide Mist to control resistant insects. Pv Insecticide Mist may be subject to specific resistance management strategies. For further information contact your local supplier. C. Budduck representative or local agricultural department agronomist. PRECAULTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored. BEFORE USE: Remove or cover all exposed foodstuffs, cover all dishes and utensils and surfaces where food is prepared or stored. AFTER USE: Thoroughly ventilate treated areas. Clean thoroughly before processing/serving resumes. Re-entry DO NOT allow re-entry until all fog/spray mist has dissipated. PROTECTION OF WILDLIFE. FISH CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic organisms.

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

PROTECTION OF PETS AND LIVESTOCK

Before spraying, remove animals and pets from areas to be treated. Cover or remove any open food and water storage containers. Cover or remove fishponds, aquariums etc before spraving.

Dangerous to bees.

DO NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product. SAFETY DIRECTIONS

Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Avoid contact with eyes and skin. DO NOT inhale spray mist. Wash hands after use. FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126; New Zealand: 0800 764 766). If swallowed do not induce vomiting.