

Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: **Fendona® Plus 60 SC Insecticide**

Version: 6.0

(30647958/SDS_GEN_AU/EN) Date of print 04.02.2022

1. Substance/preparation and manufacturer/supplier identification

Fendona® Plus 60 SC Insecticide

Use: insecticide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture: Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word: Warning

Page: 2/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Hazard Statement: H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Stateme	
P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary Stateme	
P273	Avoid release to the environment.
Precautionary Stateme P391	ents (Response): Collect spillage.
F 3 5 1	Collect spillage.
Precautionary Stateme P501	ents (Disposal): Dispose of contents and container to hazardous or special waste
F301	collection point.
Other hazards which do not result in classification:	
See section 12 - Results of PBT and vPvB assessment. If applicable information is provided in this section on other hazards which do not result in	
	may contribute to the overall hazards of the substance or mixture.

May cause paraesthesia. ALPHA-CYPERMETHRIN May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients

Chemical nature

suspension concentrate (SC), Biocidal product

Hazardous ingredients

alpha-cypermethrin Content (W/W): 5.83 % CAS Number: 67375-30-8

Acute Tox.: Cat. 4 (Inhalation - dust) Acute Tox.: Cat. 3 (oral) Skin Corr./Irrit.: Cat. 3 STOT SE: Cat. 3 (irr. to respiratory syst.) STOT RE (Nervous system): Cat. 2 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 10000 M-factor chronic: 1000

1,2-benzisothiazol-3(2H)-one

Page: 3/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS GEN AU/EN)

Date of print 04.02.2022

		Date of pri
Content (W/W): < 0.05 %	Acute Tox.: Cat. 4 (oral)	
CAS Number: 2634-33-5	Skin Corr./Irrit.: Cat. 2	
	Eye Dam./Irrit.: Cat. 1	
	Skin Sens.: Cat. 1	
	Aquatic Acute: Cat. 1	
	Aquatic Chronic: Cat. 1	
	M-factor acute: 1	
	M-factor chronic: 1	

4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink 200-300 ml of water.

Note to physician: Symptoms: numbness and tingling of hands and feet, lung oedema, convulsions (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Specific hazards: carbon monoxide, carbon dioxide, hydrogen cyanide, hydrogen chloride, nitrogen oxides, organochloric compounds The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Page: 4/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

<u>Handling</u>

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -10 °C Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

propane-1,2-diol, 57-55-6;

TWA value 474 mg/m3 ; 150 ppm (AU NOEL), Total vapour and particulates TWA value 10 mg/m3 (AU NOEL), Particulate TWA value 474 mg/m3 ; 150 ppm (OEL (AU)), Total vapour and particulates TWA value 10 mg/m3 (OEL (AU)), Particulate

Page: 5/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Personal protective equipment

Respiratory protection: Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection: Chemical resistant protective gloves

Eye protection: Eye protection not required.

Body protection: Standard work clothes and shoes.

General safety and hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid white faintly aromatic Not determined due to potential health hazard by inhalation.
pH value:	approx. 6 - 8 (water, 1 %(m), 20 °C)
crystallization temperatu Boiling point:	re: approx5.7 °C approx. 100 °C Information applies to the solvent.
Flash point: Evaporation rate:	> 100 °C Non-flammable. not applicable
Flammability (solid/gas): Lower explosion limit:	not applicable As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Page: 6/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

		(30647958/SDS_GEN_AU/EN)
Upper explosion limit:		Date of print 04.02.2022
Ignition temperature:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. 425 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	345 °C , > 300 kJ/kg	(DSC (OECD 113))
Explosion hazard: Fire promoting properties	Not a substance liable to self- decomposition according to UN transport regulations, class 4.1. not explosive : not fire-propagating	(Directive 92/69/EEC, A.14)
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.03 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (
Solubility in water: Partitioning coefficient n-	dispersible octanol/water (log Pow): not applicable	
Viscosity, dynamic:	28 mPa.s (20 °C)	(OECD 114)

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.	
Thermal decomposition:	345 °C, > 300 kJ/kg (DSC (OECD 113))
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid: strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Page: 7/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data: LD50 rat (oral): > 5,000 mg/kg (Guideline 92/69/EEC, B.1)

LC50 rat (by inhalation): > 2.08 mg/l 4 h (OECD Guideline 403) Highest concentration technically achievable. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (Directive 92/69/EEC, B.3) No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: modified Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Page: 8/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-Cypermethrin Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Aspiration hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 9/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Information on: alpha-cypermethrin Toxicity to fish: LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: alpha-cypermethrin Aquatic invertebrates: EC50 (48 h) 12,6 ng/l, Chironomus riparius

Information on: alpha-cypermethrin Aquatic plants: EC50 (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

EC50 (72 h) > 0.027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

Information on: alpha-cypermethrin Chronic toxicity to fish: No observed effect concentration (34 d) 0,03 μg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: alpha-cypermethrin Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d), 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Information on: alpha-cypermethrin Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

Page: 10/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin Assessment bioaccumulation potential: Accumulation in organisms is not to be expected.

Information on: alpha-cypermethrin Bioaccumulation potential: Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Packing group:	III
ID number:	UN 3082
Transport hazard class(es):	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains ALPHA-CYPERMETHRIN)

Further information

Hazchem Code:3Z IERG Number:47

Sea transport IMDG

Packing group:	III
ID number:	UN 3082
Transport hazard class(es):	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains ALPHA-CYPERMETHRIN)

Page: 11/11

BASF Safety data sheet Date / Revised: 09.05.2021 Product: Fendona® Plus 60 SC Insecticide

Version: 6.0

(30647958/SDS_GEN_AU/EN)

Date of print 04.02.2022

Air transport

Packing group:	III
ID number:	UN 3082
Transport hazard class(es):	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains ALPHA-CYPERMETHRIN)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval Number: 80739

Registration status:

AICS, AU

blocked / not listed

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.