CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BLITZ* INSECTICIDE

ACTIVE CONSTITUENTS: 10g/L DELTAMETHRIN 10g/L TETRAMETHIN-R 25:75 80g/L PIPERONYL BUTOXIDE

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as per the Directions for Use Table

TO BE USED BY LICENSED COMMERCIAL PEST CONTROL OPERATORS ONLY

Contents 5 Litres



BLITZ INSECTICIDE

DIRECTIONS FOR USE:

2.11.20.110.110.110.110.110.110.110.110.			
SITUATIONS	INSECT PESTS	TREATMENT RATE	CRITICAL COMMENTS
Houses, flats,	Cockroaches, fleas,	Initial treatments	On non-porous surfaces dilute with 5 L of water, on porous surfaces up to 10 L of water may be
factories, shops,	spiders, ants and	150 mL	used.
warehouses,	silverfish	Maintenance	Apply per 100 m ² of surface, not exceeding the point of run-off.
restaurants,		treatments 75mL	
hospitals, hotels,	Bird mites	75 mL	Apply to skirting boards, floors and carpets, cupboards, behind sinks, stoves and pipes. Pay
kitchens			particular attention to cracks and crevices. Also treat exposed areas where insects are seen, and
			known hiding places.
	Carpet beetles &	Initial treatments	Apply to infested area of carpet, particularly around the edges and under furniture.
	clothes moths	150 mL	
	Bed bugs	Maintenance	Treat cracks and crevices in bed frames and the adjacent walls.
		treatments 75 mL	
	Houseflies, mosquitoes	75 mL	Apply to all exposed surfaces where flies or mosquitoes may rest.
Freshly felled pine	Fivespined bark beetle	100 mL	Dilute with 10 L of water and apply through knapsack or power sprayer at the rate of 10 L/100
logs prior to	(Ips grandicollis)		m ² of surface area.
debarking			
Freshly felled logs,	Furniture Beetles,	1	NB. For best results apply promptly after felling or sawing operations.
poles and posts.	F. Anobiidae,		
Newly sawn timber.	Auger beetles,		
	F. Bostrichidae;		
	Powderpost beetles, F.		
	Lyctinae.		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS Mixing/Application

Invert original container before use. For best results form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly. Do not store diluted insecticide. Prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switch gear with the water based product.

Insecticide Resistance Warning | GROUP 31 INSECTICIDE

For insecticide resistance management, BLITZ INSECTICIDE is a Group 3A insecticide.

Some naturally-occurring insect biotypes resistant to BLITZ INSECTICIDE and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if BLITZ INSECTICIDE or other Group 3A insecticides are used repeatedly. The effectiveness of BLITZ INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, PCT International Pty Ltd accepts no liability for any losses that may result from the failure of BLITZ INSECTICIDE to control resistant insects

BLITZ INSECTICIDE may be subject to specific resistance management strategies. For further information contact your local supplier, PCT International Pty Ltd representative or local agricultural department agronomist.

PRECAUTIONS

Avoid contact with food, food utensils or places where food is prepared or stored. Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils, and places where food is prepared or stored. After use, thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

When used as directed the application of Blitz Insecticide should not present a hazard to consumers.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container, in a cool well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Harmful if swallowed, Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre Phone 13 1126

MSDS: Additional information is listed in the Material Safety Data Sheet available from PCT International Pty Ltd.

EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877 **EXCLUSION OF LIABILITY**

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State legislation.

D.O.M. **Batch No**