

SAFETY DATA SHEET



PCT International Pty Ltd

ABN 44 101 170 923

Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pcti.com.au

Ph: 61 7 3711 7022

Fax: 61 7 3711 7055

POUNCE 500*

TIMBER AND RESIDUAL INSECTICIDE

Classified as hazardous according to criteria of SWA

1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: PCT POUNCE 500 timber and residual insecticide
Product Code: none
Product Use: timber treatment & general insecticide for use as per the label directions
Poison Schedule: S6
Supplier: PCT International Pty Ltd
ABN: 44 101 170 923
Street Address: Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110
Telephone: + 61 7 3711 7022
Facsimile: + 61 7 3711 7055

Emergency telephone №: 1800 630 877

Other Information: This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

SDS Revision Date: 15th June, 2015

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Formulation Type: Liquid Emulsifiable Concentrate

Ingredients	CAS №	Concentration
Permethrin 25:75	52645-53-1	500 g/L
Hydrocarbon Solvent	64742-94-5	385 g/L
Other ingredients not considered to be hazardous		to 100%

SAFETY DATA SHEET

3. HAZARDS IDENTIFICATION

Emergency Overview Hazardous substance ; Non-dangerous goods ; Harmful to aquatic organisms.

Physical Appearance

Form: Liquid
Colour: Light Yellow
Odour: Aromatic solvent odour
Water Solubility: Emulsifies
pH: n/a

Potential Health Effects

Eyes: Irritating to the eyes
Skin: May cause slight irritation and drying of the skin.
Ingestion: Harmful if swallowed.
Inhalation: Inhalation may produce respiratory irritation, and can result in headaches, dizziness, drowsiness and nausea, accompanied by narcosis, reduced alertness, loss of reflexes and co-ordination, and vertigo.

Primary Routes of

Entry: Eyes, Skin, Inhalation, Ingestion
Target Organs: Eyes, Skin, Respiratory Tract, Digestive System
Carcinogenicity: Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor (preferably an eye specialist) and show this SDS.
Skin: Remove any contaminated clothing. Wash affected areas immediately and thoroughly with soap and water.
Ingestion: Rinse mouth and then drink plenty of water. Do not induce vomiting. If swallowed seek medical advice and show this SDS.
Inhalation: Remove affected person from site of exposure to fresh air until recovered. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Seek medical attention if symptoms persist.
First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on **13 11 26** (Australia).
General Advice: Remove soiled or soaked / contaminated clothing immediately.
Information for doctor: There is no specific antidote. Treat symptomatically. This product contains a hydrocarbon solvent. Small amounts of liquid aspirated into the respiratory system during ingestion may cause bronchopneumonia or pulmonary edema. In cases of skin contact, it has been reported that topical application of Vitamin E cream has a therapeutic value, eliminating almost 100% of the skin pain associated with synthetic pyrethroids.

5. FIRE-FIGHTING MEASURES

Flash Point: 72°C.
Autoignition Temperature: Not applicable.
Upper Explosion Limits: Not applicable.
Lower Explosion Limits: Not applicable.
Suitable Extinguishing Media: Foam, carbon dioxide, dry powder, water spray. Do not use a water jet from a fire hose.
By-products in case of Fire: No data available
Further Information: Keep unnecessary persons away from the area. If safe to do so, remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged into drains.

SAFETY DATA SHEET

Special Protective

Equipment for Firefighters: As in any fire, water, self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500^{mm} of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

7. HANDLING AND STORAGE

Advice on safe

Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands after use, and before smoking or eating / drinking. Wash protective gear and clothing after each day's use.

Advice on protection against fire and explosion:

Use product and diluted mix only in a well ventilated area. Do not use around sources of ignition.

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated and secure area. Do not store for prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General protective Measures:

Avoid contact with eyes and skin
Do not inhale mists.

Hygiene Measures: No smoking, eating or drinking allowed when using this product.
Wash hands before breaks and at end of work shift.
Protective ointment is recommended.

Respiratory Protection:

In case of formation of mists or vapours, an organic vapour cartridge respirator should be used.

Hand Protection: Elbow length PVC gloves should be worn when using this product.

Eye Protection: Safety goggles and/or face shield is recommended when using this product.

Protective clothing: Cotton overalls buttoned to the neck and wrist, and a washable hat, are required when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation should be sufficient to control airborne mist levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale yellow liquid

Odour: Aromatic solvent odour.

Solubility in Water: Emulsifies with water.

Specific Gravity

(H₂O=1): approx. 1.046 @ 20°C

pH Value: not determined

SAFETY DATA SHEET

Vapour Pressure: not determined
Melting Temperature: not measured
Boiling temperature: 184°C
Viscosity, dynamic: not measured

10. STABILITY AND REACTIVITY

Conditions to avoid: None with proper storage and handling, other than extreme heat.
Thermal
Decomposition: Not measured.
Hazardous reactions: No hazardous reactions with proper storage and handling
Hazardous
Polymerization: Unlikely to occur.
Stability: Stable under normal conditions of storage and use.
Hazardous decomposition products: None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Oral: LD₅₀ (rat) 1,479 mg/kg.
Acute Toxicity - Inhalation: LC₅₀ (rat) >685mg/L exposure time 4h method
Acute Toxicity - Dermal: LD₅₀ (rat) >2000mg/kg
Eye Irritation: (Species - rabbit) slight irritant
Skin Irritation: (Species - rabbit) non - irritant
Skin Sensitisation: (Species - guinea pig) non-sensitising
Note: harmful by inhalation and in contact with skin
Irritant to skin
Risk of serious damage to eyes
The toxicological data refer to the undiluted 100% product.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects:
Acute Toxicity – Fish: LC₅₀ for rainbow trout is 0.0078 mg/L.
Acute Toxicity - Fish: LC₅₀ for Bluegill is 0.0078 mg/L.
Acute Toxicity – Algae: EC₅₀ for green algae is >100 mg/L
Acute Toxicity – Birds: LD₅₀ for Japanese Quail is >15,500 mg/Kg
Further ecological information:
Ecological notes: Permethrin has low mobility in soil. It degrades rapidly in soil and water. It has a half-life in soil of less than 38 days. The ecotoxicological data refer to the undiluted 100% product.

13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste incineration plant.

Container Disposal: Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or

SAFETY DATA SHEET

puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500^{mm} deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

U.N. Number: n/a
DG Class: n/a
Hazchem Code: None Allocated
Class & Subsidiary Risk: n/a
Packing Group: n/a
EPG: n/a
Storage and Transport: Considered non – dangerous goods for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail.

MARINE TRANSPORT:

Classified as Dangerous Goods by the International Maritime Dangerous Goods Code (IMDG) Code) for transport by sea.

UN Number 3082

Dangerous Goods Class 9

Packing Group III

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S
(CONTAINS PERMETHRIN) MARINE POLLUTANT.



15. REGULATORY INFORMATION

APVMA Approval No: 49211/05/03

Risk Phrases: R65 Harmful- may cause lung damage if swallowed.

Safety Phrases: S24/25 Avoid Contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

Poisons Schedule: S6

Packaging &

Labeling:

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category

AICS (Australia):

Listed on the Australian Inventory of Chemical Substances.

16. OTHER INFORMATION

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

This SDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of SDS...