

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Sumilarv®

INSECT GROWTH REGULATOR

ACTIVE CONSTITUENT: 20 g/L PYRIPROXYFEN

GROUP **7C** INSECTICIDE

TO BE USED BY LICENSED COMMERCIAL, PEST CONTROL OPERATORS ONLY

For use with an adulticide to control cockroaches and fleas in domestic, industrial and public health situations as per the DIRECTIONS FOR USE table. Breaks the breeding cycle.

GENERAL INSTRUCTIONS

INSECTICIDE RESISTANCE WARNING

GROUP **7C** INSECTICIDE

For insecticide resistance management Sumilarv Insect Growth Regulator is a Group 7C insecticide. Some naturally occurring insect biotypes resistant to Sumilarv and other Group 7C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Sumilarv or other Group 7C insecticides are used repeatedly. The effectiveness of Sumilarv on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects. Sumilarv may be subject to specific resistance management strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local agricultural department agronomist.

Where to Apply

Cockroaches – areas where cockroaches harbour, paying particular attention to cracks and crevices.

Fleas – skirting boards, floors and carpets and adjacent wall area.

Do not spray the moving parts of any machinery, electric motors or switch gear with the water-based product.

PRECAUTIONS

AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED.

BEFORE USE – REMOVE OR COVER ALL EXPOSED FOODSTUFFS. COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED.

AFTER USE – THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic life. **DO NOT** contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple or preferably rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia Tel. 131 126; New Zealand 0800 764 766.

SDS

Additional information is listed in the Safety Data Sheet (SDS).

IMPORTANT NOTICE

These goods are to be used only for the purpose and as specified on the label, and are not suitable for any other purpose. To the fullest extent permitted by law, we do not accept or bear any liability on any basis for any loss, damage, cost or expense, arising in any way, directly or indirectly, in connection with the goods.

APVMA Approval No.: 45923/500mL/1008

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL

IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY ALL HOURS - AUSTRALIA WIDE 1800 024 973

DIRECTIONS FOR USE

SITUATION	PEST	RATE	CRITICAL COMMENTS
Houses, flats, factories, shops, warehouses, restaurants, public buildings	Fleas	<u>Initial treatment</u> 25 mL/5 L water applied as a tank mix with the label rate of registered adulticide such as Sumiguard [®] . <u>Maintenance treatments</u> 25 mL/5 L water applied alone.	Apply as a coarse spray at the rate of 5 L/100 m ² or to the point of run off which will vary with the nature of the surface being treated. Re-apply when signs of infestation reappear.
	Cockroaches	50 mL/5 L water applied as a tank mix with the label rate of a registered adulticide such as Sumiguard [®] .	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.