

# Safety Data Sheet



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

1/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Maxforce® Gold Gel Insecticide  
**Product code (UVP)** 79509820

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Chronic aquatic toxicity: Category 3

#### 2.2 Label elements

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Fipronil

**Signal word:** Warning

##### Hazard statements

H317 May cause an allergic skin reaction.

##### Precautionary statements

P280 Wear protective gloves.  
P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

2/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Fipronil 0,03%

Chemical nature

Bait (ready for use) (RB)

Chemical Name	CAS-No.	Concentration [%]
Fipronil	120068-37-3	0.03
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.05 - < 5.00
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0.0015 - < 0.06
Other ingredients (non-hazardous) to 100%		

## SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

#### General advice

Move out of dangerous area. When symptoms develop and persist, seek medical advice.

#### Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

#### Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

The following symptoms may occur: Restlessness, Anxiety, Tremors

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Treatment

Treat symptomatically. There is no specific antidote. Carefully monitor the respiratory functions. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Oxygen or artificial respiration if needed. Keep respiratory tract clear. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Symptoms of poisoning may appear several hours later. Keep under medical supervision for at least 48 hours.



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

3/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Dry powder

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides, Hydrogen chloride (HCl), Hydrogen fluoride

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** Not applicable

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling



**Maxforce® Gold Gel Insecticide**

Version 1 / AUS  
102000020956

4/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Smoking, eating and drinking should be prohibited in the application area.

**7.2 Conditions for safe storage, including any incompatibilities**

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fipronil	120068-37-3	0.035 mg/m3 (TWA)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

5/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

	cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
<b>General protective measures</b>	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.
<b>Engineering Controls</b>	
<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	gel
<b>Colour</b>	brown
<b>Odour</b>	weak, characteristic
<b>pH</b>	5.0 - 7.0 at 1 % (23 °C) (deionized water)
<b>Flash point</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Density</b>	ca. 1.18 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	No data available
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

6/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

<b>Acute oral toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Sensitisation</b>	Sensitising

#### Assessment mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

#### Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

#### Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Early onset symptoms related to exposure

Refer to Section 4

#### Delayed health effects from exposure

Refer to Section 11

#### Exposure levels and health effects

Refer to Section 4

#### Interactive effects

Not known

#### When specific chemical data is not available

Not applicable

#### Mixture of chemicals

Refer to Section 2.1

#### Further information



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

7/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

No further toxicological information is available.

### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.19 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fipronil.
<b>Toxicity to aquatic plants</b>	EC50 (Desmodesmus subspicatus (green algae)) 0.068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.

#### 12.2 Persistence and degradability

**Biodegradability** Fipronil:  
Not rapidly biodegradable

**Koc** Fipronil: Koc: 427 - 1278

#### 12.3 Bioaccumulative potential

**Bioaccumulation** Fipronil: Bioconcentration factor (BCF) 321  
Does not bioaccumulate.

#### 12.4 Mobility in soil

**Mobility in soil** Fipronil: Slightly mobile in soils

#### 12.5 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

### SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage. DO NOT burn empty containers or product.

### SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

8/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

Australian Pesticides and Veterinary Medicines Authority approval number: 55553

### SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Maxforce® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.



# Safety Data Sheet



## Maxforce® Gold Gel Insecticide

Version 1 / AUS  
102000020956

9/9  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS