

# Safety Data Sheet



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

1/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Racumin® Rat and Mouse Paste  
**Product code (UVP)** 05141435

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Rodenticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Pty Ltd.  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Australia. GHS Hazardous Chemical Information List (Hazardous Substances Information System (HSIS))**

Acute toxicity: Category 4  
H302 Harmful if swallowed.

#### 2.2 Label elements

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

Coumatetralyl

**Signal word:** Warning

#### Hazard statements

H302 Harmful if swallowed.

#### Precautionary statements

P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
P330 Rinse mouth.  
P501 Dispose of contents/container in accordance with local regulation.



**Racumin® Rat and Mouse Paste**

Version 2 / AUS  
102000007452

2/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

**2.3 Other hazards**

No other hazards known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical nature**

Coumatetralyl 0.0375 % w/w

Chemical nature Bait (ready for use) (RB)

Chemical Name	CAS-No.	Concentration [%]
Coumatetralyl	5836-29-3	0.0375
Other ingredients (non-hazardous) to 100%		

**SECTION 4. FIRST AID MEASURES**

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

**4.1 Description of first aid measures**

**General advice**

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. When symptoms develop and persist, seek medical advice.

**Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms**

If large amounts are ingested, the following symptoms may occur:

State of shock, Nose bleeding, Bloody vomiting, Abdominal pain, Back pain

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

**4.3 Indication of any immediate medical attention and special treatment needed**



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

3/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

**Treatment** Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

### SECTION 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** Not applicable

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling



**Racumin® Rat and Mouse Paste**

Version 2 / AUS  
102000007452

4/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

- Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. For personal protection see section 8.
- Advice on protection against fire and explosion** No special precautions required.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
- 7.2 Conditions for safe storage, including any incompatibilities**
- Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Do not store at a temperature above 40 °C.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Coumatetralyl	5836-29-3	0.01 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Personal protective equipment - End user**

**Hand protection** Rubber gloves

**Engineering Controls**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. For personal protection see section 8.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

- Form** paste
- Colour** blue
- Odour** weak, characteristic
- Melting point/range** > 200 °C
- Flammability (solid, gas)** The product is not highly flammable.
- Ignition temperature** 425 °C



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

5/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

<b>Auto-ignition temperature</b>	ca. 207 °C
<b>Density</b>	ca. 1.19 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	Not dispersible
<b>Partition coefficient: n-octanol/water</b>	Coumatetralyl: log Pow: 1.5
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Burning number</b>	CN3 Local combustion without spreading at 20 °C
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** from 110 °C

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) 1,000 mg/kg

**Acute inhalation toxicity** During intended and foreseen applications, no respirable aerosol is formed.

**Acute dermal toxicity** LD50 (Rat) > 4,000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** No eye irritation (Rabbit)

**Sensitisation** Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

6/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

### Assessment carcinogenicity

Coumatetralyl is not considered carcinogenic.

### Assessment toxicity to reproduction

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.

### Assessment developmental toxicity

Coumatetralyl did not cause developmental toxicity in rats and rabbits.

### Assessment repeated dose toxicity

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Inhalation not likely., Toxic by inhalation.

No skin irritation

No eye irritation

Ingestion of large amounts may be harmful (see Signs and Symptoms).

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient.

#### Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) > 14 mg/l



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

7/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

<b>invertebrates</b>	Exposure time: 48 h The value mentioned relates to the active ingredient.
<b>Toxicity to aquatic plants</b>	IC50 (Desmodesmus subspicatus (green algae)) > 18 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient.
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Coumatetralyl: Not rapidly biodegradable
<b>Koc</b>	Coumatetralyl: Koc: 453
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	Coumatetralyl: Bioconcentration factor (BCF) 3 - 11 Does not bioaccumulate.
<b>12.4 Mobility in soil</b>	
<b>Mobility in soil</b>	Coumatetralyl: Moderately mobile in soils
<b>12.5 Other adverse effects</b>	
<b>Additional ecological information</b>	No other effects to be mentioned.

### SECTION 13. DISPOSAL CONSIDERATIONS

Shake empty container onto baiting site. Do not dispose of undiluted chemicals on-site. Break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

### SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 51508

#### Hazardous Classification

Hazardous (National Occupational Health and Safety Commission - NOHSC)

#### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

8/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

### SECTION 16. OTHER INFORMATION

**Trademark information** Racumin® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL



# Safety Data Sheet



## Racumin® Rat and Mouse Paste

Version 2 / AUS  
102000007452

9/9  
Revision Date: 17.06.2016  
Print Date: 17.06.2016

should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.

TWA TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS