

**STORAGE AND DISPOSAL**  
Dispose of empty bait sachet by wrapping in paper, placing in plastic bag and putting in garbage. DO NOT burn empty sachet or product.

**FIRST AID**  
If poisoning occurs, get to a Doctor or hospital quickly.  
For further information please refer to the Material Safety Data sheet.

> 2026-1 RAMPAGE® Registered Trademark Bell Laboratories, Inc. 092614

**APVMA Approval Number: 48246/63302**

**DANGEROUS POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**RAMPAGE®**  
**RAT AND MOUSE BAIT**  
**ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL**


For control of rats and mice, including anticoagulant resistant species, in and around domestic, commercial and agricultural buildings.  
Before using this product, read directions on outer container. This sachet must be returned to outer pack after use or disposed of as per disposal instructions.  
This product must only be used in lockable tamper-resistant bait stations.  
Sale of this sachet except in outer container is illegal. Not to be sold separately.

**NET 10 g**

Manufactured By:  
**Bell Laboratories, Inc.** Madison, WI 53704  
AUSTRALIAN AGENT:  
Bell Australia, Pty Ltd.  
LEVEL 18, KING GEORGE CENTRAL  
145 ANN STREET  
BRISBANE QLD 4000  
EMERGENCY CONTACT NO: (02) 9647 2111

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT**  
DO NOT contaminate dams, rivers or streams with the chemical or used container.  
DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.  
Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

Batch No.:  
D.O.M.:





RLP Approved



053014

**STORAGE AND DISPOSAL**

Dispose of empty bait sachet by wrapping in paper, placing in plastic bag and putting in garbage. DO NOT burn empty sachet or product.

**FIRST AID**

If poisoning occurs, get to a Doctor or hospital quickly. For further information please refer to the Material Safety Data sheet.

> 2025-1

RAMPAGE® Registered Trademark Bell Laboratories, Inc.  
APVMA Approval Number: 48246/63302

**DANGEROUS POISON**  
KEEP OUT OF REACH OF CHILDREN

**RAMPAGE®**  
RAT AND MOUSE BAIT

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

For control of rats and mice, including anticoagulant resistant species, in and around domestic, commercial and agricultural buildings.  
Before using this product, read directions on outer container. This sachet must be returned to outer pack after use or disposed of as per disposal instructions. This product must only be used in lockable tamper-resistant bait stations.  
Sale of this sachet except in outer container is illegal. Not to be sold separately.

**NET 30 g**

Manufactured By:  
**Bell** LABORATORIES, INC. Madison, WI 53704  
www.belllabs.com

AUSTRALIAN AGENT:  
Bell Australia, Pty Ltd.  
LEVEL 18, KING GEORGE CENTRAL  
145 ANN STREET  
BRISBANE QLD 4000

EMERGENCY CONTACT NO.: (02) 9647 2111


**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT**

DO NOT contaminate dams, rivers or streams with the chemical or used container. DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food. Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

Batch No.:

D.O.M.:

12.86 cm  
Cut Off





21"

# DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN RAMPAGE® RAT AND MOUSE BAIT

Controls Species  
Resistant to  
Anticoagulants

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

Approved for  
Perimeter  
Fence Lines

For control of rats and mice, including anticoagulant resistant species,  
in and around domestic, commercial and agricultural buildings.  
This product must only be used in lockable tamper-resistant bait stations.

PRIMARY PACK  
CONTAINS 50 x 30G BAIT SACHETS

SACHETS ARE ILLEGAL TO SELL SEPARATELY.  
DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.



NET 1.5 kg

EMERGENCY CONTACT NO: (02) 9647 2111



#### DIRECTIONS FOR USE:

**RESTRAINTS**  
DO NOT exceed 3m between bait stations for mice, or 9m for rats.  
DO NOT place bait sachets in the open and must only be used in lockable tamper-resistant bait stations.  
DO NOT use this product for the control of protected native rodents, or other native animals.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around domestic homes, industrial and commercial buildings, animal houses, farms, wharves, public service buildings, hospitals, motor transport vehicles (including ships), around grain terminals, storage areas and perimeter fence lines. At food facilities, for fence-line use only.	Rats (Rattus rattus, Rattus norvegicus)	2 to 6 bait sachets per bait station every 9 metres	Eliminate, as far as practicable, all alternative food sources. Bait infested area. Place bait sachets in lockable bait stations. Inspect bait stations on a regular basis. Replace water-baits. If eaten quickly increase number of bait sachets. Continue observation and replenishment until no more bait sachets are taken.
	Mice (Mus musculus)	1 bait sachet per bait station every 3 metres	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

#### GENERAL INSTRUCTIONS

Determine areas where rats and/or mice will most likely find and consume bait. Generally, these areas are along walls, by grained openings, in or beside burrows, in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or moisture. Replace contaminated or spoiled bait immediately. To maximize the effectiveness of baiting and prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation should occur, repeat treatment. Where a continuous source of reinfestation is present, establish permanent bait stations and replenish bait as needed. Collect and dispose of all dead rodents and unconsumed bait properly.

#### PRECAUTION

This product is only to be utilised by placement in lockable bait stations. DO NOT open sachets. DO NOT place bait in areas accessible to children or pets.

## DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN RAMPAGE® RAT AND MOUSE BAIT

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

For control of rats and mice, including anti-coagulant resistant species, in and around domestic, commercial and agricultural buildings.  
This product must only be used in lockable tamper-resistant bait stations.

PRIMARY PACK  
CONTAINS 50 x 30G BAIT SACHETS

SACHETS ARE ILLEGAL TO SELL SEPARATELY.  
DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

NET 1.5 kg



Australian Agent:  
BELL AUSTRALIA, PTY LTD.  
LEVEL 16, KING GEORGE CENTRAL  
145 ANN STREET  
BRISBANE QLD 4000

EMERGENCY CONTACT NO: (02) 9647 2111

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate dams, rivers or streams with the chemical or used container.  
DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.  
Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

#### STORAGE AND DISPOSAL

Store in the closed, original container in a well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food and feedstuffs, seed and fertilizers. Do not dispose of chemicals on site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

#### FIRST AID

If poisoning occurs, get to a doctor or hospital quickly.

#### MSDS

For further information please refer to the Material Safety Data Sheet which can be obtained from the supplier.

#### CONDITIONS OF SALE

The use of Rampage® Rat and Mouse Bait is beyond the control of the manufacturer therefore no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose nor can Bell Laboratories, Inc. accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA Approval Number: 48246-E3302

092614

Batch No:

D.O.M.

NO PRINT - Gap Area

CENTER FRONT

BAIL

CENTER BACK

T702128VLW  
5" x 21" minus .375" gap





21"

5"

**DANGEROUS POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**RAMPAGE®**  
**RAT AND MOUSE BAIT**  
**ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL**  
 For control of rats and mice, including anticoagulant resistant species, in and around domestic, commercial and agricultural buildings.  
 This product must only be used in lockable tamper-resistant bait stations.

**Controls Species Resistant to Anticoagulants**      **Approved for Perimeter Fence Lines**

**KILLS RATS & MICE**

**PRIMARY PACK**  
**CONTAINS 100 x 10 g BAIT SACHETS**  
 WHICH IT IS ILLEGAL TO SELL SEPARATELY.  
**DO NOT DESTROY OUTER CONTAINER**  
**WHILE PRODUCT STILL REMAINS.**  
**NET 1.0 kg**

Manufactured By: **Bell LABORATORIES, INC.**  
 Madison, WI 53704 U.S.A.  
 www.belllabs.com

Australian Agent:  
**BELL AUSTRALIA PTY LTD.**  
 LEVEL 18, KING GEORGE CENTRAL  
 145 ANN STREET  
 BRISBANE QLD 4000  
 EMERGENCY CONTACT NO: (02) 9647 2111



**DIRECTIONS FOR USE:**

**RESTRAINTS**  
DO NOT exceed 3m between bait stations for mice, or 9m for rats.  
DO NOT place bait sachets in the open and must only be used in lockable tamper-resistant bait stations.  
DO NOT use this product for the control of protected native rodents, or other native animals.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around domestic homes, industrial and commercial buildings, animal houses, farms, wharves, public service buildings, hospitals, media transport vehicles (including ships), around grain terminals, storage areas and perimeter fence lines. At food facilities, for lincosamine use only.	Rat (Rattus rattus, Rattus norvegicus)	6 to 18 bait sachets per bait station every 3 metres	Eliminate, as far as practicable, all alternative food sources. Bait infested areas. Place bait sachets in lockable tamper-resistant bait stations. Inspect bait stations on a regular basis. Replace eaten baits. If eaten quickly increase number of bait sachets. Continue observation and replenishment until no more bait sachets are taken.
	Mouse (Mus musculus)	3 bait sachets per bait station every 3 metres	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS**  
Determine areas where rats and/or mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or moisture. Replace contaminated or spoiled bait immediately. To maximise the effectiveness of baiting and prevent re-infestation, eliminate food, water and harbourage as much as possible. If re-infestation should occur, repeat treatment. Where a continuous source of re-infestation is present, establish permanent bait stations and replenish bait as needed. Collect and dispose of all dead rodents and unconsumed bait properly.

**PRECAUTION**  
This product is only to be utilised by placement in lockable bait stations.  
DO NOT open sachets.  
DO NOT place bait in areas accessible to children and pets.

**DANGEROUS POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**RAMPAGE**  
**RAT AND MOUSE BAIT**  
**ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL**

For control of rats and mice, including anticoagulant resistant species, in and around domestic, commercial and agricultural buildings.  
 This product must only be used in lockable tamper-resistant bait stations.

**PRIMARY PACK**  
**CONTAINS 100 x 10 g BAIT SACHETS**  
 WHICH IT IS ILLEGAL TO SELL SEPARATELY.  
**DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.**  
**NET 1.0 kg**

Manufactured By: **Bell LABORATORIES, INC.**  
 Madison, WI 53704 U.S.A.  
 www.belllabs.com

Australian Agent:  
**BELL AUSTRALIA PTY LTD.**  
 LEVEL 18, KING GEORGE CENTRAL  
 145 ANN STREET  
 BRISBANE QLD 4000  
 EMERGENCY CONTACT NO: (02) 9647 2111

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT**  
DO NOT contaminate dams, rivers or streams with the chemical or used container. DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.  
Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

**STORAGE AND DISPOSAL**  
Store in the closed, original container in a well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food and feedstuffs, seed and fertilisers. Do not dispose of chemicals on site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

**FIRST AID**  
If poisoning occurs, get to a doctor or hospital quickly.

**MSDS**  
For further information please refer to the Material Safety Data Sheet which can be obtained from the supplier.

**CONDITIONS OF SALE**  
The use of Rampage® Rat and Mouse Bait is beyond the control of the manufacturer therefore no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose nor can Bell Laboratories, Inc. accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA Approval Number: 48246-83302  
092614

Batch No:  
D.O.M.:

NO PRINT - Gap Area

CENTER FRONT

BAIL

CENTER BACK

T702128VLW  
5" x 21" minus .375" gap

